



ASOCIACIÓN ESTATAL DE AFECTADOS POR LOS SÍNDROMES DE
SENSIBILIDAD QUÍMICA Y FATIGA CRÓNICA, FIBROMIALGIA Y
PARA LA DEFENSA DE LA SALUD AMBIENTAL
Apartado de Correos 118 - 03550 SANT JOAN (Alicante) - España-
e-mail: info@asquifyde.es - Web: www.asquifyde.es

BIBLIOGRAFIA ELECTROHIPERSENSIBILIDAD

Ad ey, R.W., Bawin, F. M., & Lawrence, A.F. "Effects of weak amplitude-modulated fields in calcium efflux from awake cat cerebral cortex". *J. Bioelectromagnetics Soc.* 1982, 3, 295-308.

Arrieta MC, Bistriz L, Meddings JB, "Alterations in intestinal permeability". *Gut* 2006, 55: 1512-1520.

Banks, R.S. . "Electric and magnetic fields: A new health issue". *Health and Environ.* 1988, 2, 1-3.

Bawin SM, Kaczmarek KL, Adey WR, "Effects of modulated VHF fields on the central nervous system". *Ann NY Acad Sci.* 1975, 247: 74-81.

Blackman CF, Benane SG, Kinney LS, House DE, Joines WT , "Effects of ELF fields on calcium-ion efflux from brain tissue in vitro". *Radiation Research* 1982, 92: 510-520

Birenbaum, L., Kaplan, L.T., Metaly, W., et. al. "Effect of microwave on the rabbit eye". *J. Microwave Pwr.* 1969, 4, 232-243.

Blackman CF , "ELF effects on calcium homeostasis". In: Wilson BW, Stevens RG, Anderson LE (eds) "Extremely Low Frequency Electromagnetic Fields: the Question of Cancer". *Battelle Press*, 1990, Columbus, Ohio, pp 189-208.

Blank, M, Goodman R , "Stimulation of stress response by low frequency electromagnetic fields: possibility of direct interaction with DNA". *IEEE Trans Plasma Sci*, 2000, 28 168-172

Blank M., Goodman R. "Electromagnetic fields stress living cells". *Pathophysiology* 16 (2009) 71-78

Blanz et al, "Mobile Telecommunications in Kempten West (Baviaria)", final report of *independent research*, 2006.

Brand, S., Heller, P., Bircher, AJ., Braun-Fahrleander, C., Huss, A., Niederer, M., Schwarzenbach, S., Waeber, R., Wegmann, L., & Kuechenhoff, J. (2009). "Patients with environment-related disorders: comprehensive results of interdisciplinary diagnostics". *Int J Hyg Environ Health.*, 212(2):157-71. Epub 2008 Jul 30.

Bullock, T. H. (1977). "Electromagnetic sensing in fish". *Neurosci. Res. Program Bull.*, 15, 17-22.



ASOCIACIÓN ESTATAL DE AFECTADOS POR LOS SÍNDROMES DE
SENSIBILIDAD QUÍMICA Y FATIGA CRÓNICA, FIBROMIALGIA Y
PARA LA DEFENSA DE LA SALUD AMBIENTAL
Apartado de Correos 118 - 03550 SANT JOAN (Alicante) - España-
e-mail: info@asquifyde.es - Web: www.asquifyde.es

Carlsson, F., Karlson, B., Orbaek, P., Osterberg, K., & Ostergren, PO. . "Prevalence of annoyance attributed to electrical equipment and smells in a Swedish population, and relationship with subjective health and daily functioning". *Public Health*, 2005; 119(7):568-77.

Chu Q, George ST, Lukason M, Cheng SH, Scheule RK, Eastman SJ "EGTA enhancement of adenovirus-mediated gene transfer to mouse tracheal epithelium in vivo". *Human Gene Therapy*, 2001; 12: 455-467

Carpenter, R. L., & Van Ummersen, C.A. "The effects of 2.4 Ghz radiation". *J. Microwave Pwr.* 1968, 3, 3-19.

Choy, R. V. S., Monro, J. A., & Smith, C. W. "Electrical sensitivities in allergy patients". *Clin. Ecol.* 1986, 4, 93-102.

Clealry, S. "Microwave cataractogenesis". *Proc. I.E.E.E.* 1980, 68, 49-55.

Dahmen, N., Ghezal-Ahmadi, D., & Engel, A. "Blood laboratory findings in patients suffering from self-perceived electromagnetic hypersensitivity (EHS)". *Bioelectromagnetics*, 2009; 30(4):299-306.

Dämvik M, Johansson O. "Health risk assessment of electromagnetic fields: a conflict between the precautionary principle and environmental medicine methodology". *Rev Environ Health.* 2010 Oct-Dec;25(4):325-33.

David, E.; Reißerweber, J.; Kentner, S.: "The nature of electromagnetic hypersensitivity: Idiopathic environmental intolerance or specific perceptive faculty". *Abstract Book of the Twentieth Annual Meeting of the Bioelectromagnetics Society*; St. Petersburg, Florida, June 7-11, 1998, p. 211;

Desai NR, Kesari KK, Agarwal A. "Pathophysiology of cell phone radiation: oxidative stress and carcinogenesis with focus on male reproductive system". *Reprod Biol Endocrinol.* 2009 Oct 22;7:114.

Diem E, Schwarz C, Adlkofer F, Jahn O, Rudiger H, "Non-thermal DNA breakage by mobile phone radiation (1800 MHz) in human fibroblasts and in transformed GFSH-R17 rat granulosa cells in vitro". *Mutation Research / Genetic Toxicology and Environmental Mutagenesis*, 2005; 583: 178-183

Easterly, C. E. "Cardiovascular risk from exposure to static magnetic fields". *J. Am. Ind. Hyg. Assoc.* 1982, 43, 533-539.

Eltiti S, Wallace D, Ridgewell A, Zougkou K, Russo R, Sepulveda F, et al. 2007. "Does Short-Term Exposure to Mobile Phone Base Station Signals Increase Symptoms in Individuals who



ASOCIACIÓN ESTATAL DE AFECTADOS POR LOS SÍNDROMES DE
SENSIBILIDAD QUÍMICA Y FATIGA CRÓNICA, FIBROMIALGIA Y
PARA LA DEFENSA DE LA SALUD AMBIENTAL
Apartado de Correos 118 - 03550 SANT JOAN (Alicante) - España-
e-mail: info@asquifyde.es - Web: www.asquifyde.es

Report Sensitivity to Electromagnetic Fields?" *Environ Health Perspect* 115:679–683;
doi:10.1289/ehp.10286 [Online 24 July 2007]

Eltiti S, Wallace D, Zougkou K, Russo R, Joseph S, Razor P, et al. 2006. "Development and Evaluation of the Electromagnetic Hypersensitivity Questionnaire". *Bioelectromagnetics* 28:137-151(2007); doi: 10.1002/bem.20279 [Online 29 September 2006]

Furubayashi, T., Ushiyama, A., Terao, Y., Mizuno, Y., Shirasawa, K., Pongpaibool, P., Simba, AY., Wake, K., Nishikawa, M., Miyawaki, K., Yasuda, A., Uchiyama, M., Yamashita, HK., Masuda, H., Hirota, S., Takahashi, M., Okano, T., Inomata-Terada, S., Sokejima, S., Maruyama, E., Watanabe, S., Taki, M., Ohkubo, & C., Ugawa, Y. "Effects of short-term W-CDMA mobile phone base station exposure on women with or without mobile phone related symptoms". *Bioelectromagnetics*, 2009; 30(2): 100 – 13.

Furuse M, Hata M, Furuse K, Yoshida Y, Haratake A, Sugitani Y, Noda T, Kubo A, Tsukita S (), "Claudin-based tight junctions are crucial for the mammalian epidermal barrier: a lesson from claudin-1- deficient mice". *J Cell Biol*, 2002; 156; 1099-1111

Gee D. "Late Lessons from Early Warnings: Towards realism and precaution with EMF?". *Pathophysiology* 16, 2009; 217–231

Ghezel-Ahmadi, D., Engel, A., Weidemann, J., Budnik, LT., Baur, X., Frick, U., Hauser, S., & Dahmen, N. "Heavy metal exposure in patients suffering from electromagnetic hypersensitivity. " *Science of The Total Environment*, 2009; 15;408(4):774-8.

Giuliani L, Grimaldi S, Lisi A, D'Emilia E, Bobkova N, Zhadin M., "Action of combined magnetic fields on aqueous solution of glutamic acid: the further development of investigations", *Biomagn Res Technol*. 2008 Jan 25;6:1.

Goldsworthy A., "THE CELL PHONE AND THE CELL, 1st HELLENIC CONGRESS - THE EFFECTS OF ELECTROMAGNETIC RADIATION", Thessalonica, 24-25 May 2008.

HALLBERG Ö., OBERFELD G., "Letter to the Editor: Will We All Become Electrosensitive?", *Electromagnetic Biology and Medicine*, 25: 189–191, 2006.

Havas M. "Electromagnetic Hypersensitivity: Biological Effects of Dirty Electricity with emphasis on Diabetes and Multiple Sclerosis". *Informa Healthcare* 2006, 25: 259–268

Hardell L et al. Increased concentrations of certain persistent organic pollutants in subjects with self-reported electromagnetic hypersensitivity – a pilot study *Electromagn Biol Med* 2008, 27(2):197-203



ASOCIACIÓN ESTATAL DE AFECTADOS POR LOS SÍNDROMES DE
SENSIBILIDAD QUÍMICA Y FATIGA CRÓNICA, FIBROMIALGIA Y
PARA LA DEFENSA DE LA SALUD AMBIENTAL
Apartado de Correos 118 - 03550 SANT JOAN (Alicante) - España-
e-mail: info@asquifyde.es - Web: www.asquifyde.es

Hardell L., Carlberg M., Hansson Mild K. “Epidemiological evidence for an association between use of wireless phones and tumor diseases” *Pathophysiology* 16,2009; 113–122

Hardell L, Sage C. “Biological effects from electromagnetic field exposure and public exposure standards.” *Biomed Pharmacother.* 2008 Feb;62(2)

Hillert, L., Berglind, N., Arnetz, BB., Bellander, T. “Prevalence of self-reported hypersensitivity to electric or magnetic fields in a population-based questionnaire survey”. *Scand J Work Environ Health*, 2002; 28(1):33-41.

Hillert, L., Akerstedt, T., Lowden, A., Wiholm, C., Kuster, N., Ebert, S., Boutry, C., Moffat, SD, Berg, M., & Arnetz, BB. “The effects of 884 MHz GSM wireless communication signals on headache and other symptoms: an experimental provocation study.” *Bioelectromagnetics*, 2008; 29(3):185-96.

Huss A, Rössli M. “Consultations in primary care for symptoms attributed to electromagnetic fields-- a survey among general practitioners.” *BMC Public Health*. 2006 Oct 30;6:267.

Hussar P, Tserentsoodol N, Koyama H, Yokoo-Sugawara M, Matsuzaki T, Takami S, Huttenlocher PR, Dabholkar AS “Regional differences in synaptogenesis in human cerebral cortex.” *J Comparative Neurology*, 1997; 387 167-178

Irvin Neil, Health Protection Agency Radiation Protection Division's (HPA RPD), review “Epidemiology and Management of Electrical Hypersensitivity”, 2005.

Johansson O. “Electrohypersensitivity: State-of-the-Art.” *Informa Healthcare Electromagnetic Biology and Medicine*, 2006; 25: 245–258,

Johansson O. “Disturbance of the immune system by electromagnetic fields—A potentially underlying cause for cellular damage and tissue repair reduction which could lead to disease and impairment” *Pathophysiology* 16, 2009; 157–177

Johansson O. S. “Evidence for effect on the immune system” *Bioinitiative report* 2007

Karinen A. , Heinävaara S. , Nylund R. , Leszczynski D. “Mobile phone radiation might alter protein expression in human skin” *BMC Genomics* 2008, 9:77

Kentner, S.; David, E.; Reißerweber, J.; Pfothhauer, M.; Ostermann, Th.: “An interdisciplinary approach to electromagnetic hypersensitivity.” Abstract Book of the *Twentieth Annual Meeting of the Bioelectromagnetics Society*; St. Petersburg, Florida, June 7-11, 1998, p. 273-274;



ASOCIACIÓN ESTATAL DE AFECTADOS POR LOS SÍNDROMES DE
SENSIBILIDAD QUÍMICA Y FATIGA CRÓNICA, FIBROMIALGIA Y
PARA LA DEFENSA DE LA SALUD AMBIENTAL
Apartado de Correos 118 - 03550 SANT JOAN (Alicante) - España-
e-mail: info@asquifyde.es - Web: www.asquifyde.es

Ketchenm, E. E., Porter, W. E., & Bolton, N. E. "The biological effects of magnetic fields on man." *J. Am. Ind. Hyg. Assoc.* 1978, 39, 1-11.

Kundi M., Hutter H.P. "Mobile phone base stations—Effects on wellbeing and health" *Pathophysiology* 16, 2009; 123–135

Lai H, Singh NP (), "Acute low-intensity microwave exposure increases DNA single-strand breaks in rat brain cells." *Bioelectromagnetics* 16, 1995; 207-210

Lai H. USA : "Evidence for effect on neurology and behavior". *Biointiative report* 2007

Leszczynski D, Xu Z. "Mobile phone radiation health risk controversy: the reliability and sufficiency of science behind the safety standards." *Health Res Policy Syst.* 2010 Jan 27;8(1):2.

Lapenna D, Ciofani G, Bruno C, Pierdomenico SD, Giuliani L, Giamberardino MA, Cucurullo F, "Vanadyl as a catalyst of human lipoprotein oxidation," *Biochem Pharmacol.* 2002 Feb 1;63(3):375-80.

Leitgeb N.: "Electromagnetic hypersensitivity. Quantitative assesment of an ill-defined problem;" In: Proceedings of the COST 244 meeting on Electromagnetic Hypersensitivty 27./28.9.1994 , Technische Universität Graz, Editor: Dina Simunic;

Leitgeb N, Schröttner J, Cech R, "Perception of ELF electromagnetic fields: excitation thresholds and inter-individual variability," *Health Phys* 2007; 92 (6): 591 – 595.

Leitgeb N, Schroettner J, Cech R, "Electric current perception of the general population including children and the elderly," *J Med Eng Technol* 2005; 29 (5): 215 - 218

Leitgeb N, Schröttner J, Cech R, "Electric current perception of children: the role of age and gender," *J Med Eng Technol* 2006; 30 (5): 306 – 309.

Lisi A, Rieti S, Cricenti A, Flori A, Generosi R, Luce M, Perfetti P, Foletti A, Ledda M, Rosola E, Giuliani L, Grimaldi S., "ELF non ionizing radiation changes the distribution of the inner chemical functional groups in human epithelial cell (HaCaT) culture," *Electromagn Biol Med.* 2006; 25(4):281-9.

Lisi A, Ledda M, Rosola E, Pozzi D, D'Emilia E, Giuliani L, Foletti A, Modesti A, Morris SJ, Grimaldi S., Extremely low frequency electromagnetic field exposure promotes differentiation of pituitary corticotrope-derived AtT20 D16V cells, *Bioelectromagnetics.* 2006 Dec;27(8):641-51.



ASOCIACIÓN ESTATAL DE AFECTADOS POR LOS SÍNDROMES DE
SENSIBILIDAD QUÍMICA Y FATIGA CRÓNICA, FIBROMIALGIA Y
PARA LA DEFENSA DE LA SALUD AMBIENTAL
Apartado de Correos 118 - 03550 SANT JOAN (Alicante) - España-
e-mail: info@asquifyde.es - Web: www.asquifyde.es

Lyskov, E., Sandstrom, M., Mild, KH. "Provocation study of persons with perceived electrical hypersensitivity and controls using magnetic field exposure and recording of electrophysiological characteristics." *Bioelectromagnetics*, 2001; 22(7):457-62.

[Manni V](#), [Lisi A](#), [Rieti S](#), [Serafino A](#), [Ledda M](#), [Giuliani L](#), [Sacco D](#), [D'Emilia E](#), [Grimaldi S.](#) "Low electromagnetic field (50 Hz) induces differentiation on primary human oral keratinocytes (HOK)," *Bioelectromagnetics*. 2004 Feb;25(2):118-26.

[Manni V](#), [Lisi A](#), [Pozzi D](#), [Rieti S](#), [Serafino A](#), [Giuliani L](#), [Grimaldi S.](#) "Effects of extremely low frequency (50 Hz) magnetic field on morphological and biochemical properties of human keratinocytes," *Bioelectromagnetics*. 2002 May;23(4):298-305.

McCally, R. L., Farrell, R. A., Burgeron, C. B., et. al. "Neuronizing radiation damage in the eye." *Johns Hopkins Apl. Tech. Dig.* 1986, 7, 73-91.

Michaelson, S. M. "Microwave biological overview." *Proc. I.E.E.E.* 1980, 68, 60-69.

Nittby H, Brun A., Eberhardt J., Malmgren L., Persson Bertil R.R. , Salford Leif G.
"Increased blood-brain barrier permeability in mammalian brain 7 days after exposure to the radiation from a GSM-900 mobile phone." *Pathophysiology* 16, 2009; 103-112

Paz, J.D., Milliken, R., Ingram, W.T., Arthur, F., and Atkin, A. "Potential ocular damage from microwave exposure during electrosurgery: Dosimetric survey." *J. Occup. Med.* 1987, 29, 580-583.

Persson BRR, Salford LG, Brun A, "Blood-brain barrier permeability in rats exposed to electromagnetic fields used in wireless communication". *Wireless Networks*, 1997; 3: 455-461.

Petersen, R. C. "Bioeffects of microwaves: A review of current knowledge". *J. Occup. Med.* 1980, 25, 103-111.

Phillips, R. D. "Health effects of ELM fields: Research and communications regulation". Toronto, *Int'l Utilities Symp.* (1986, Sept.)

Rajkovic V et al, "Light and electron microscopic study of the thyroid gland in rats exposed to power- frequency electromagnetic fields" *J Exp Biol* 2006; 209(Pt 17):3322-8

Rajkovic V et al, "Histological characteristics of cutaneous and thyroid mast cell populations in male rats exposed to power-frequency electromagnetic fields" *Int J Radiat Biol* 2005; 81(7): 491-499



ASOCIACIÓN ESTATAL DE AFECTADOS POR LOS SÍNDROMES DE
SENSIBILIDAD QUÍMICA Y FATIGA CRÓNICA, FIBROMIALGIA Y
PARA LA DEFENSA DE LA SALUD AMBIENTAL
Apartado de Correos 118 - 03550 SANT JOAN (Alicante) - España-
e-mail: info@asquifyde.es - Web: www.asquifyde.es

Rajkovic V et al, “The effect of extremely low-frequency electromagnetic fields on skin and thyroid amine- and peptide-containing cells in rats: an immunohistochemical and morphometrical study” *Environ Res* 2005; 99(3):369-77

Randegger, E. “Electromagnetic pollution”. *Environ.* 1988, 7, 22-26,

Ravitz, L. J. “History, measurement, and applicability of periodic changes in the electromagnetic field in health and disease”. *Ann. N.Y. Acad. Sci.*, 98, 1982; 1144-1201.

Reißenweber, J.; David, E.; Fachner, J.: “The evaluation and interpretation of the phenomenon of “electrosensitivity/magneto-sensitivity” in the framework of the analysis of written and telephone questions. Proceedings of the 2nd Copenhagen, Denmark, Conference on Electromagnetic Hypersensitivity, pp. 73-76;

Reiter RJ et al, “Melatonin in walnuts: influence on levels of melatonin and total antioxidant capacity of blood “ *Nutrition*, 2005; 21(9):920-4

Sage C., Carpenter D.O. “Public health implications of wireless technologies”. *Pathophysiology* 16, 2009; 233–246

Salford LG, Brun AE, Eberhardt JL, Malmgren K, Persson BRR, “Nerve cell damage in mammalian brain after exposure to microwaves from GSM mobile phones”, *Environmental Health Perspectives* 2003; 111: 881-883

Sandström M., Lyskov E. and Hansson Mild K.: “Neurophysiological effects of flickering light on patients with electrical hypersensitivity”; In: Proceedings of the COST 244 meeting on Electromagnetic Hypersensitivity 27./28.9.1994, Technische Universität Graz, Editor: Dina Simunic;

Schröttner J, Leitgeb N, Hillert L, “Investigation of electric current perception thresholds of different EHS groups”, *Bioelectromagnetics* 2007; 28 (3): 208 – 213.

Schröttner J, Leitgeb N, “Sensitivity to electricity – Temporal changes in Austria”, *BMC Public Health* 2008, 8:310.

Shirakawa S, Rea WJ, Ishikawa S, Johnson A. “Evaluation of the autonomic nervous system response by pupillographical study in the chemically sensitive patient”. *Environ Med* 8:121-127 (1991). Silverman, C. (1980). *Epidemiological studies of microwave effects. Proc. I.E.E.E.*, 68, 78-84.

Smith, C. W., Jafarg-Asl, A. H., Choy, R.Y.S., & Monro, J.A. “The emission of low-intensity electromagnetic radiation from multiple allergy patients and other biological systems”. In B.



ASOCIACIÓN ESTATAL DE AFECTADOS POR LOS SÍNDROMES DE
SENSIBILIDAD QUÍMICA Y FATIGA CRÓNICA, FIBROMIALGIA Y
PARA LA DEFENSA DE LA SALUD AMBIENTAL
Apartado de Correos 118 - 03550 SANT JOAN (Alicante) - España-
e-mail: info@asquifyde.es - Web: www.asquifyde.es

Jezowska-Trzebiatowska, B. Kochel, J. Slawinski, and W. Streck (Eds.) *Proc. int'l. symp. on photon emission from biological systems* (pp. 110-126), Wroclaw, Poland. Singapore: World Scientific.

Smith, C. W. "Superconducting areas in living systems". In R. K. Mishra (Ed.), *The living state II*, 1985; (pp. 404-420). Singapore: World Scientific.

Söderqvist F. , Carlberg M. , Hardell L. "Mobile and cordless telephones, serum transthyretin and the blood-cerebrospinal fluid barrier: a cross-sectional Study" *Environmental Health* 2009, 8:19

Steck TL, Weinstein RS, Straus, JH, Wallach DFH, "Inside-out red cell membrane vesicles: preparation and purification". *Science*, 1970; 168: 255-257

Subrohmangam, S., Narayan, O. V. S., Porkodis, M., & Murugan, S. "Effect of ELF magnetic micropulsations on physiology of Albino rats". *Int. J. Bio Meteor.* 1985, 29, 184-185.

Takata K, "The glucose transporter GLUT1 and the tight junction protein occludin in nasal olfactory mucosa". *Chem Senses*, 2002; 27: 2-11

Tomitsch J, Dechant E, Frank W. "Survey of electromagnetic field exposure in bedrooms of residences in lower Austria". *Bioelectromagnetics*. 2010 Apr;31(3):200-8.

Wever, R. A. "The Circadian System of Man : Results of Experiments under Temporal Isolation". *Springer*, 1979; New York.

Wever, R. A. "Human circadian rhythms under the influence of weak electric fields and the different aspects of these studies". *Int. J. Biometeor.* 1973, 17, 227-232.

Weiss DJ, Beckett T, Bonneau L, Young J, Kolls JK, Wang G, "Transient increase in lung epithelial tight junction permeability: an additional mechanism for of enhancement of lung transgene expression by perfluorochemical liquids". *MolecularTherapy*, 2003; 8: 927-935

Wang, T., Hawkins, LH., & Rea, WJ. "Effects of ELF magnetic fields on patients with chemical sensitivities". COST 244: *Biomedical effects of electromagnetic fields*, 1994; September 27-29; Graz, Austria. 123-132.

Zimmerman, I. "Dry and wet skin resistance: Cow's lumbosacral regions under 750 KV lines." *Int. J. Bio. Meteor.* 1985, 29, 184.